





For More Info:

Efrén David Robles
Business Partner
Horizon Solutions, LLC.
efren@horizonsolutionspr.com
(787) 242-7423
WWW.HorizonSolutionsPR.com

José X. Fontánez Otero Business Partner Horizon Solutions, LLC. jose@horizonsolutionspr.com (787) 922-6122 WWW.HorizonSolutionsPR.com





OUR VISION:

By partnering and collaborating we will create a Sustainable Ecosystem to Support and Improve the Efficiency and Reliability of our customer's operations.

OUR MISSION:

Our Mission is to exceed our customers expectations by providing state of the art equipment, Reliable Technologies and Field Service Support for Water Purification Solutions.



"We Strive to exceed our customers expectations by Providing Reliable Services, Equipment & Parts for your Industrial Water Purification needs."











HORIZON





ULTRAPURE WATER SYSTEMS "We Strive to exceed our customers expectations by Providing Reliable Services, Equipment & Parts for your Business Water Purification needs."



- Equipment Sales
- Engineering Services and Design Soft Water SOLUTIONS Resverse Osmosis SOLUTIONS
- Deionized Water Service SOLUTIONS

System Design [®]Equipment Sales

WE OFFER

Comprehensive Preventive

Maintenance Agreements as a cost effective way to have all the components that make up your system in optimum operation.

OUR FOCUS ON SERVICE & MAINTENACE PROVIDES:

- System Reliability for Minimal Downtime
 Optimal System Performance
- Optimal System Performance Ensuring
 Superior Water Quality
 Engineering Service & Design
 Equipment Sales
 Service Optimization Agreement
 Parts Components & Consumables
 Preventive Maintenance
 Installations & Start-Up
 Training

- Training



Local Service and Support



AUTHORIZED DISTRIBUTOR OF





Light Commercial Reverse Osmosis Water Filtration System 1000 GPD



CRO1000

STANDARD FITTING

3/4-inch FNPT water inlet 3/8-inch water outlet tubing 3/8-inch drain line tubing

QUICK MONITORING

Clear first stage clear housing Inlet and outlet pressure gauge.



HIGH PERFORMANCE

Remove up to 99% of contaminants Up to 0.7 GPM filtered water output 1000 GPD tankles design

REINFORCED CONSTRUCTION

Ridge metal frame with protable wheels Stainless steel membrane housing



STAGE 1

PP Sediment Filter

Reduces sediments, dust, sand, large particles, silt, dirt, and rust.

Model #: FP25B

Replace every 3-12 months



STAGE 2&3 Carbon Block Filter

Reduces up to 99% of chlorine, taste, odor, color, and cloudiness from water.

Model #: FC25B

Replace every 6-12 months



STAGE 4 Reverse Osmosis Membrane

Removes up to 99% of over 1,000 contaminants

Model #: MCRO1000 Replace every 2-3 years







Office Use



Restaurants & Coffee Shops









Notice: Minimum of 20" space is needed for coils, if wrapped on the same pipe.



Breathing LED

The breathing LED can clearly show the operating status of ED2000S. LED light provides longer service life and a power-efficient pattern.



Magnet Design

You can easily attach the ED2000S to metal pipes, or stick the magnet to the wall first and then attach the ED2000S to it.



USB-C

The Type C interface can be connected by both sides, giving the system a larger capacity and higher efficiency.



Portable Size

ED2000S has a similar size to our hands. With a portable size and a light weight, the ED2000S can be easily installed, moved, and fit anywhere.



How does it work?

The ED2000S uses a patented computer chip to emit an electromagnetic wave, matching the resonant wave frequencies in the water molecule clusters. This causes the clusters to break down into active twin molecules with a much larger surface area and better bonding capability with the hard mineral compounds. The water molecules in their new state can pick up and carry the hard mineral compounds, greatly reducing the likelihood they adhere to pipe surfaces while allowing the existing scale to begin breaking down.



iSpring Whole House Water Filtration Solutions

- 1. LS43: Water Leak Detector Alarm System with Automatic Shut-Off Valve
- 2. WSP50ARB: Reusable Sediment Filter
- 3. WF150K: Chlorine & Heavy Metal Removal Water Filter
- 4. WCFM500K: Iron, Manganese, & H₂S Removal Water Filter
- 5. WCS45KG: Whole House Central Water Softener
- 6. UVF55FS: UV Light with Flow Sensor

SET & FORGET









Automatic Shut-Off

The leak-detecting sensor that automatically turns off the valve once water is detected helps prevent major flooding and water damage.

Quick and loud alarm

Sounds an alarm immediately to warn people in the house to check. It can be turned off quickly with the RESET button.

Connect up to 8 sensors

This controller unit can connect up to 8 water detection sensors, allowing you to cover the whole water pipe area in the house.

Easy-operated Controller

8 LED lights indicating which sensor has detected water. Three buttons give you different choices to interact freely with the controller.



What's included?

- Ball valve with sound/light alarm
- 5V / 1A Transformer
- Controller module
- 2 pieces of water sensors

Product dimension

- Valve size: 3/4" NPT
- Controller module cable: 3 feet
- Transformer cable: 6 feet
- Water sensor cable: 20 feet









PP Sediment Filter

Removes sediments, dust, sand, particles dirt and rust. Model #: FP15



GAC

Removes chlorine, tastes & odors, colors and cloudiness.
Model #: FG15



CTO

Removes chloramine, harmful chemicals and more. Model #: FC15



RO Membrane

Produces bottled quality drinking water up to 75 gallons per day. Model #: MC7



Post Carbon

Removes any possible residual taste and odors from the tank. Model #: FT15




pH Filter

Increases water alkalinity and gives back healthy minerals.

Model #: FA15














iSpring UVF55FS Performance Data Sheet

Voltage	Input: 110-120V 50/60Hz
Power Consumption	55 W
Operating Pressure	4 - 85 psi
Influent Water Temperature	32 - 100 °F
Flow Rate	12 GPM
Inlet/Outlet Port Size	1" MNPT inlet/outlet
Material	Stainless Steel Body, Quartz Sleeve

HOW IT WORKS?

Ultraviolet light has proven to be a quick, reliable, and cost-effective tool for water treatment for both point-of-use (POU) and point-of-entry (POE) systems. Our upgraded UVF55FS UV water filter is a chemical-free, environmentally friendly, and affordable UV water filter system that can protect the whole house against water concerns commonly found in private wells.















A Home with No Scale



Before




After

The filter media can effectively sequester calcium and magnesium from your source water, preventing your pipes and household appliances from scaling and clearing partially clogged piping.



Cleaner Water from Pipes with No Corrosion



Before



After

Our premium filter media inhibits corrosion, particularly iron, steel, galvanized, copper, and lead, by coating the surface of your pipes. The coating also helps stabilize chlorine as it will not react with the metal pipe if it exists.

TOP LINE WHOLE HOUSE WATER FILTER



iSpring Whole House Water Filtration System

WGB32B Series WGB32B/WGB32BM/WGB32B-PB/WGB32B-KS



Water filtration

Healthier

hair & skin



sediments

Reduce wear

on fabrics



Reduce chlorine



Fresher water for pets



Zero waste water



Reduce stains on appliances



















WGB32B

WGB32BM

WGB32B-PB

WGB32B-KS

Filtration Capacity	Up to 100,000 Gallons		Up to 150,000 Gallons	Up to 150,000 Gallons
Water Pressure Delivered	Up to 15 GPM	Up to 15 GPM	Up to 15 GPM	Up to 15 GPM
Reduces Sediment	Down to 5 microns	Down to 5 microns	Down to 5 microns	Down to 5 microns
Reduces Chlorine, Taste, and Odor	Up to 99%	Up to 99%	Up to 99%	Up to 99%
Reduces Iron and Manganese	-	Iron: max 3.0 ppm to 0.01 ppm; Manganese: max 1.0 ppm to 0.01 ppm	-	-
Reduces Heavy Metals	-	-	150K gal at 100 ppb for lead	Lead, mercury, and various other heavy metals

JUMBO SIZE SPIN-DOWN SEDIMENT WATER FILTER

WSPARJ Series 50 Micron/100 Micron/200 Micron







EASY INSTALLATION

CLEAR HOUSING













WATER HAMMER RESISTANT



WSPARJ Series can satisfy the large

capacity is upgraded to 110 oz, which

is 22 times the traditional spin-down

sediment filter. With a larger size, the

filtration process is more efficient, and

the cleaning frequency is lower.

water usage requirement. The







WSPARJ Series is easy to install. With the smart HD touch screen, you can set up the different frequencies to auto flush, depending on water usage, sediment amount, and the hardness level in your source water. The system is preset to flush for 15 seconds every 15 days.



High-quality Materials


WSPARJ Series utilizes 316L food-grade stainless steel and high-quality and durable housing, further improving the system's service life.

IDEAL PRE-FILTER FOR YOUR HOUSE WATER



Jumbo Size

















BLUE GOLD

THE NEXT GENERATION OF DESALINATION



FEATURES

- · Automatic Electronic Controls
- · 316 Stainless Steel Fittings
- · High TDS Divert
- Product Flow Meter
- · Concentrate Flow Meter
- · High Pressure Gauge
- · Low Pressure Gauge
- Low Pressure Lock Out
- · Over Pressurization Protection
- · TEFC Electric Motor
- Powder Coated Aluminum Frame
- Anti-Vibration Mounts
- Auto Flush

DIMENSIONS

SPECIFICATIONS

MODEL	STANDARD		
BG 600	22H 28W 18D		
BG 1000	22H 42W 18D		
BG 1500	22H 42W 18D		

MODEL	GPH	MEMBRANES	HP	VOLTAGE	AMPS
BG-600	25	(3) 2.5 X 21	1.5	115/208-230	15.2/26
BG-1000	42	(2) 2.5 X 40	2	115/208-230	20/10
BG-1500	62	(3) 2.5 X 40	2	115/208-230	20/10